# **Chapter 2. Geo-Physical Environment**

# **Geographical Location of Cavite**

Cavite is part of the Philippines' largest island, the Luzon Peninsula. Found in the southern portion, Cavite belongs to Region IV-A or the CALABARZON region. It is bounded by the provinces of Batangas in the south, Laguna in the east, Rizal in the northeast, Metro Manila and Manila Bay in the north, and West Philippine Sea in the west. Cavite has the GPS coordinates of 14.2456° N, 120.8786° E. Its proximity to Metro Manila gives the Province significant edge in terms of economic development.







### **Political Boundaries**

The province of Cavite has well-defined political subdivisions. Considering the rising population of the province, the addition of new legislative districts is a good move in order to ensure the appropriate representation of the province in the congress. In the year 2009, by virtue of RA 9727, the province was divided into seven legislative districts. The move to increase the number of congressional representatives in Cavite aids the province to have better representation in the national government and in effect receive more appropriate government services and assistance.

Currently, the Province is composed of 16 municipalities and 7 cities with a total of 829 barangays (Table 2.1). The seven cities include the seat of the Provincial Government- Trece Martires City, the defense frontier- Cavite City, the provincial summer capital-Tagaytay City, the City of Dasmariñas under

the Republic Act 9723 which was ratified last November 25, 2009 and which also happens to be a lone legislative jurisdiction of 4<sup>th</sup> District, City of Bacoor and City of Imus by virtue of RA 10160 dated February 08, 2012 and RA 10161 dated April 10, 2012, respectively, and the newly converted City of Gen. Trias through Republic Act 10675 which was signed into law on August 19, 2015 and ratified on December 12, 2015.

By virtue of Presidential Decree 1163, Imus is the provincial capital but the seat of the provincial government is located at Trece Martires City.




In addition, in 1909, during the American regime, Governor-General W. Cameron Forbes issued the Executive Order No. 124, declaring Act No. 1748 that annexed Corregidor and the Islands of Caballo (Fort Hughes), La Monja, El Fraile (Fort Drum), Sta. Amalia, Carabao (Fort Frank) and Limbones, as well as all waters and detached rocks surrounding them to the City of Cavite. These are now major tourist attractions of the province. The municipality of Ternate also has the Balut Island.

Table 2.1 Number of Barangays by City/Municipality and Congressional District in the Province of Cavite as of 2017.

City/Municipality	Number of Barangays
1st District	143
Cavite City	84
Kawit	23
Noveleta	16
Rosario	20
2 <sup>nd</sup> District	73
City of Bacoor	73
3 <sup>rd</sup> District	97
City of Imus	97
4 <sup>th</sup> District	75
City of Dasmariñas	75
5 <sup>th</sup> District	105
Carmona	14
Silang	64
Gen. M. Alvarez	27
6 <sup>th</sup> District	113
Trece Martires City	13
Amadeo	26
City of Gen. Trias	33
Tanza	41
7 <sup>th</sup> District	223
Tagaytay City	34 32
Alfonso	32 14
Gen. Emilio Aguinaldo	36
Indang	16
Magallanes	27
Maragondon Mendez	27
Naic	30
Ternate	10
Total	829


Source: Provincial Planning and Development Office



# Topography Physiographical Areas

### **Coastal Plain**

- lowest lowland area
- \* extremely low ground level of 0m to 2m elevation (warm lowland) compared to the high tide level of about 0.8m elevation from the Mean Sea Level (MSL).
- \* These are the city of Cavite and Bacoor, and municipalities of Kawit, Noveleta, and Rosario.



### **Upland Mountainous Area**

- found in Amadeo, Silang, Alfonso and Tagaytay City
- \* Situated at a very high elevation above 400m with slopes of more than 2%.
- \* The Tagaytay ridge has a peak elevation of 650m.




- \* lowland area
- \* flat ground slope of less than 0.5% and low ground elevation of 2m to 30m.
- \* found in the city of Imus and southern part of General Trias wherein transition area between coastal plain and the central hilly area forms within these cities
- \* covers some areas of City of Bacoor, Kawit, Noveleta, Rosario and Tanza



### **Central Hilly Area**

- found on the mountain foot slope
- \* forms the rolling tuffaceous plateau
- includes steep hills, ridges and elevated inland valley
- characterized with ground elevation ranging from 30m to nearly 400m
- ground slope ranges from 0.5 to 2%
- Cities of Trece Martires City and City Dasmariñas, and the municipalities of Indang and Silang have this kind of topography.



### Slope


Slope is the degree of inclination of a given area. It is expressed as the number of feet the land rises or falls over a distance of 100 feet and written in terms of percentage. The degree of slope affects soil moisture which influences species selection. It also estimates the erosion potential of the place and helps in selecting the most appropriate planting techniques. Slopes of 15% to 20% may be erosion prone. The National Land Use Committee prescribes the following standard slope ranges:

\* 0 – 3% : Flat or level land
\* 3% - 8% : Level to undulating
\* 8% - 18% : Undulating to rolling
\* 18% - 30% : Rolling to moderately steep hills

\* 30% - 50% : Moderately to steeply mountainous

\* Above 50% : Very steeply mountainous

In Cavite, the northern part of the province is flat or level. This is consisting of the parts of the municipalities of Ternate, Maragondon, Naic, Tanza, Rosario, Noveleta, Kawit, and cities of Cavite, Bacoor and Imus. The westmost part of the province, mostly parts of Maragondon, Ternate and Magallanes, is ranging from moderately steep to very steep as well as the eastmost part covering the municipalities of General Mariano Alvarez and small portion of Carmona and Silang including the city of Tagaytay. These areas are the most prone in erosion in the province of Cavite. Lastly, the remaining cities and municipalities are gently sloping to undulating to rolling (Figure 2.1).



### Geology

Geology is the study of Earth, the materials which it is made, the structure of those materials, and the processes acting upon them. Physical geology is made important in this sub-chapter. Physical geology deals with the study of the physical features of the earth and the processes acting on them. This includes volcanoes, earthquakes, rocks, mountains and the oceans; just about any feature of the earth.

### Landforms

According to the National Geographic Society, landforms are features on the Earth's surface that is part of a terrain. The four major types of landforms are mountains, hills, plateaus, and plains. Buttes, canyons, valleys and basins are considered minor types of landforms.

The Philippines, fondly called as the "Pearl of the Orient" has its diverse environment, well known for its different landforms. Some of it can be found in the province of Cavite.

The province of Cavite has its own share in the mesmerizing beauty of nature that every Filipinos can enjoy. Pico de Loro, also known as the Parrot's Beak is one of the most popular mountains in the Philippines. It is elevated at 688 meters where the wide plains of Cavite and the South China Sea as well as the coves and beaches of Nasugbu can be seen. Mt. Pico de Loro is part of the Mt. Palay-Palay-Mataas-na-Gulod Protected Landscape, the remaining lowland rainforest in Cavite, covering particularly Maragondon and Ternate, and Batangas. Other notable peaks in the mountain range that is located in Cavite include Mount Marami, one of the ancient volcanic features of Bataan Arc, Mount Buntis and Mount Nagpatong, home to Andres Bonifacio Shrine and claim to be the execution site of the said hero. Another peak in Cavite is the Mt. Sungay in Tagaytay. The inactive stratovolcano is the highest point in Cavite at 709 meters.



Mt. Marami
Image sources: www.pinoymountaineer.com; www.trailadventours.com

Another noteworthy landform in Cavite is the Lucsuhin National Bridge, locally called Cabag Cave or Lucsuhin Cave, is a national bridge connecting Barangay Lucsuhin and Barangay Kalubkob in Silang, Cavite. The bridge crosses Ylang-ylang River and the first national bridge to be reported in the country.

### Soils

Identification of soil characteristics, most importantly the soil type is a vital activity in area profiling. This is very useful in recommending the best land-use for that area. Moreover, if intended for agriculture, knowing the soil type will also aid in identifying the most suitable crops to be planted in the area. This will contribute to the achievement of optimized land productivity.

The soil surveys conducted by the Bureau of Soils and Water Management (BSWM) revealed that Cavite is composed of ten (10) soil types.

The lowland area of Cavite is generally composed of Guadalupe clay and clay loam. This soil type is characterized as coarse and granular when dry but sticky and plastic when wet. Its substratum is solid volcanic tuff. These types of soils are suited to lowland rice and corn while those in the upland are suited for orchard and pasture.

Guadalupe clay adobes are abundant in the southern part of the cities of Bacoor and Imus bordering the city of Dasmariñas. The soil is hard and compact and difficult to cultivate that makes it generally unsuitable for diverse cropping. It is very sticky when wet and granular when dry. Forage grass is advised for this type of soil.

Hydrosol and Obando sand are found along Bacoor Bay. The shoreline of Rosario, Tanza, Naic and Ternate are lined with Guadalupe sand.

The central area principally consists of Magallanes loam with streaks of Magallanes clay loam of sandy texture. This is recommended for diversified farming such as the cultivation of upland rice, corn, sugarcane, vegetables,

coconut, coffee, mangoes and other fruit trees. The steep phase should be forested or planted to rootcrops.

The eastern side of Cavite is consists of Carmona clay loam with streaks of Carmona clay loam steep phase and Carmona sandy clay loam. This type of soil is granular with tuffaceaous material and concretions. It is hard and compact when dry, sticky and plastic when wet. This type of soil is planted to rice with irrigation or sugarcane without irrigation. Fruit trees such as mango, avocado and citrus are also grown in this type of soil.

Guingua fine sandy loam is found along the lower part of Malabon and Alang-ilang River at Noveleta.

The type of soils that dominate the upland areas are Tagaytay loam and Tagaytay sandy loam with mountain soil undifferentiated found on the southeastern side bordering Laguna province. Also, on the southern tip are Magallanes clay and Mountain soil undifferentiated with interlacing of Magallanes clay loam steep phase.

The Tagaytay loam contains fine sandy materials, moderately friable, and easy to work on when moist. In an undisturbed condition, it bakes and becomes hard when dry. About one-half of this soil type is devoted to upland rice and upland crops. On the other hand, Tagaytay sandy loam is friable and granular with considerable amount of volcanic sand and underlain by adobe clay. Mountain soil undifferentiated is forested with bamboos found in the sea coast. Cavite also has the Patungan sand characterized by pale gray to almost white sand with substratum of marine conglomerates which are found at Sta. Mercedes in Maragondon and in some coastlines of Ternate.

### Land Suitability

Land suitability is the fitness of a given type of land for a defined use. The process of land suitability classification is the appraisal and grouping of specific areas of land in terms of their suitability for defined uses.

Majority of the provincial land are defined for highly restricted agricultural use. The lowland areas covering the municipalities of Imus, Bacoor, General Trias, portions of Tanza, Naic and Rosario are primarily suitable for irrigated rice/fresh water fishponds. The central part of the Province covering mainly the

municipalities of Dasmariñas, greater portions of Tanza, Naic, Gen. Aguinaldo and Trece Martires City are primarily suitable for cultivated annual crops. Cavite's upland area covering the municipalities of Silang, Amadeo, Indang, Alfonso, Magallanes and small portion of Gen. Aguinaldo and Maragondon and the City of Tagaytay is principally suitable for perennial tree and vine crop production.

The mountainous portions of the Province found at the western side and the area along the Tagaytay Ridge are considered as National Integrated Protected Areas System (NIPAS) land which cannot be altered from its natural habitat (Figure 2.2).

The land suitability information was taken from the Land Management Unit (LMU) map from the Bureau of Soils and Water Management (BSWM). This information will be used to determine whether existing land use is in accordance with the suitability of the land for that use.




Figure 2.2 Land Suitability Map of Cavite.

### Land Resources

### **Land Classification**

Land classification ensures the proper location of various land uses especially of business, residential and utility areas. This is executed by highly trained urban planners in order to ensure the harmonious movement of people and their activities. Land classifications and adherence to them by the public promotes balanced development.

The land resource of the province is at 142,706 hectares. This is categorized into two (2): Alienable and Disposable (A&D) Land and Forest Land. The Alienable and Disposable Land accounts for 129,391 hectares or 90.67 percent share to total land resource where economic activities (Agriculture – 55.24 percent share to A&D) and human settlements (44.76 percent share to A&D) occur. On the other hand, forestland, the land covered with forest or reserved for the growth of forests, which is 9.33 percent or 13,315 hectares shared to total is presumed that land resource is preserved to maintain the ecological balance in the province (Table 2.2).

Table 2.2 Land Classification, Province of Cavite: 2011-2020.

Land Classification	Area (Hectares)	% Share	% Share to Classification
A. Alienable and Disposable	129,391	90.67	
Production Land	71,474.91	50.09	55.24
Built-up Area	57,916.09	40.58	44.76
B. Forest Land	13,315	9.33	
1. Classified	5,357.36	3.75	40.24
a. Protected Areas/Natural	3,928	2.75	
b. Military Reservation	808.99	0.57	
c. Islands	620.37	0.43	
2. Unclassified	7,957.64	5.58	59.76
Total	142,706	100.00	

Source: Provincial Development and Physical Framework Plan 2011-2020

### Alienable and Disposable Lands

As defined by the Philippine Statistics Authority (PSA), alienable and disposable lands refers to those lands of the public domain which have been the subject of the present system of classification and declared as not needed for forest purposes. It is classified into two categories: the production land and built-up areas.

The production land is the area where agricultural activities and food productions takes place. Most of the areas in Cavite are of this classification.

The built-up areas, on the other hand are comprised of settlements, industrial, commercial and tourism areas. This area is mainly for the conduct of economic activities as well as for human habitations. It covers up to 40.58 percent of the total land area of Cavite.

#### **Forest Lands**

The forest lands are those that have either national proclamation to become forest reservations or those lands that are not suitable for any particular use. This may be a factor of topography and elevation. Forest lands are divided into two kinds the classified land, which includes protected areas/natural parks, military reservation and islands, and unclassified land, also known as the public forest.

For Cavite, we have the Sangley Point, Corregidor Island and the Mts. Palay-palay and Mataas na Gulod Protected Landscape under the classified land. Unclassified land includes the Tagaytay ridges (Figure 2.3).

### **Land Area**

Land is an important resource that is a basis of many governance related decisions such as budget, cityhood, and programming, among others. Land is referred as dry land, is the solid surface of the Earth that is not permanently covered by water. Land is an area of ground which is being used for a particular purpose. It excludes area below inland water bodies. The proper usage of land is a major determinant or guiding force on the progress of a province.

Cavite covers 8.72 percent of the CALABARZON's land area. This is relatively small considering that the Region is only comprised of five provinces. The land area of Cavite is equivalent to only 0.48 percent of the total land area of the Philippines which is 299,404.00 hectares. The municipalities of Maragondon and Silang have the biggest land areas comprising 16,549 hectares and 15,641 hectares, respectively while the municipality of Noveleta has the smallest land area as with 541 hectares or 0.38 percent of the provincial total land area (Table 2.3).




Figure 2.3 Land Classification Map of Cavite; 2010

Page | 12

Table 2.3 Land Area by City/Municipality, Province of Cavite: 2017.


City/Municipality	Land Area (Hectares)	% Distribution (%)
1st District		
Cavite City	1,183	0.83
Kawit	1,340	0.94
Noveleta	541	0.38
Rosario	567	0.40
2 <sup>nd</sup> District		
City of Bacoor	5,240	3.67
3 <sup>rd</sup> District		
City of Imus	9,701	6.80
4 <sup>th</sup> District		
City of Dasmariñas	8,234	5.77
5 <sup>th</sup> District	0.000	0.17
Carmona	3,092	2.17
Silang	15,641	10.96
Gen. M. Alvarez	938	0.66
6 <sup>th</sup> District Trece Martires City	3,917	2.74
City of Gen. Trias	11,768	8.25
Tanza	9,630	6.75
Amadeo	4,790	3.36
7 <sup>th</sup> District	4,770	5.50
Tagaytay City	6,615	4.64
Alfonso	6,460	4.53
Gen. Emilio Aguinaldo	5,103	3.58
Indang	8,920	6.25
Magallanes	<i>7,</i> 860	5.51
Maragondon	16,549	11.60
Mendez	1,667	1.17
Naic	8,600	6.03
Ternate	4,350	3.05
Total	142,706	100.00

Source: Provincial Development and Physical Framework Plan 2011-2020

### Mineral Resources

The upland part of Cavite contains volcanic materials, tuff, cinders, basalt, breccias, agglomerate and interbeddings of shales, and sandstones in the soil. The dormant and active volcanoes (Taal) are within this volcanic area and have been the sources of volcanic materials which form the Tagaytay Cuesta. The drainage systems are deeply entrenched in the tuffs, eroding thin interbedded sandstones and conglomerate which are the sources of little reserves of sand and gravel in the larger stream. Adobe stone quarries also flourish in the tuff areas.

Figure 2.4 Mineral Resources Map of Cavite; 2010



Meanwhile, in the lower part of Cavite, mostly coastal, marl and conglomerate can be found. Igneous rocks are prominent in the high, mountainous regions of western Cavite. Black sands are found in Kawit. Noveleta has its own salt products. Magallanes has gravel deposits while reserves of sand and gravel materials are found in Alfonso, Carmona, Gen. Aguinaldo, Naic, Ternate, Maragondon and Silang. Adobes are abundant in Maragondon and serves as a good source of rocks and boulders (Table 2.4).

Table 2.4 Mineral Resources, Province of Cavite: 2016.

City/Municipality	Mineral Deposits	Location
Alfonso	Gravel, Sand	
Carmona	Gravel, Sand, Clay Gravel, Sand	Mabuhay, Ulong Tubig
Gen. Aguinaldo	Adobe, Boulders	Batas-Dao, Lumipa Kaymisas &Lumipa
Kawit	Black Sand	San Sebastian
Ternate	Gravel and Sand	Bucana,
	Boulders Banda-Banda	San Jose, San Juan, Poblacion, Sapang
Magallanes	Gravel Deposit	Ramirez, Urdaneta
Maragondon	Manganese, Iron	Tulay, Mabato
	Gravel, Sand	Caingin
Naic	Sand	
Noveleta	Salt	San Rafael
Silang	Sand	Tibagan, Malaking Ilog, Matindig

Source: PG – Environment and Natural Resources Office

### **Coastal Resources**

Cavite boasts a stretch of about 122.574 kilometers of shoreline. These can be found along Cavite City, City of Bacoor, Kawit, Noveleta, Rosario, Tanza, Naic, Maragondon and Ternate. The richness of Cavite's coastal resources paved the way for our recognition as major producer of oysters and mussels. The fisherfolks are also active producers of sugpo/bangus. On the western coastlines lie the breathtaking beaches with pale gray sand. Thus, basically, coastal resource of the province contributes to the economic activities related to fishery and tourism.

### **Coral Reefs**

Coral reefs are colonies of tiny living animals found in marine waters that contain few nutrients. It is commonly found at shallow depths in tropical waters and grow best in warm, shallow, clear, sunny and agitated waters. It delivers ecosystem services to tourism, fisheries and shoreline protection. It also serves as home to marine life.

As of 2013, the Department of Environment and Natural Resources Region 4A – CALABARZON had mapped a total of 19.26 hectares of coral reef areas in Sitio Pinagkainan and Patungan, Barangay Sta. Mercedes, Maragondon,



Coral Reefs in Limbones Cove
Image source: <a href="https://www.choosephilippines.com">www.choosephilippines.com</a> (Photos by: Mike Ajero)

Cavite. Sitio Pinagkaingan, located in the eastern part of Limbones cove opposite Carabao Island, has a 34 percent live coral cover dominated by non-acropora corals (32.60%) and a small population of Acropora corals (1.40%).

In Sitio Patungan Munti, a slightly sloping ground and good water visibility at 30 ft. depth, has about 32.76% live coral cover where the "staghorn" corals (20%) are most seen. About 40 percent of the species were members of the two biggest families, the Pomacentridae and Labridae. A school of fusiliers (Caesio spp.) were also observed.

### **Mangroves**

Mangroves are trees or shrubs that grow in the tropical coastal swamps that are flooded at high tide. Mangroves typically have numerous tangled roots

above ground and form dense thickets.

Mangroves provide ecological and socio-economic importance in terms of protection of shoreline and coral reefs, nursery for fishes, shrimps, crustaceans and mud crabs, food and sanctuary for marine life, potential eco-tourism sites, protection for reclaimed land and wind breaker during typhoons. The people



Mangrove Plantation in Bacoor, Cavite
Image source: www.bacoor.gov.ph/tourism/mangrove-plantation

in the province also earns income from mangrove products such as source of planting materials for sale, fish, wood for fuel, shellfish, mud crabs and other crustaceans. Mangroves can be found in the coastal towns of Maragondon, Ternate, Naic, Tanza, Rosario, Noveleta, Kawit, Cavite City and City of Bacoor.

As of May 2015, Cavite has a total of 195.893 hectares of mangrove areas. These mangrove areas are based on the Bio-ecological assessment of DENR-MBCO Region IV-A conducted on November 2010 which is about 88.47 hectares located at City of Bacoor, Noveleta, Cavite City, Kawit and Rosario. The mangrove rehabilitation project is established from 2001 to 2015. Around 102.086 hectares of mangrove areas are planted in the last ten (10) years.

The species of Mangroves found in the province are:

- 1. Bakawan Babae (R. mucronata)
- 2. Bakawan Lalake (Rhizophora apiculata)
- 3. Bakawan bato (R. stylosa)
- 4. Api-api (Avicennia officinales)
- 5. Bungalon (A. marina)
- 6. Piapi (A. lanata)
- 7. Pagatpat (Sonneratia Alba)
- 8. Pagatpat baye (S. ovata)
- 9. Pedada (S. caeolaris)

Table 2.5 Existing Mangrove and Mangrove Rehabilitation Areas, Province of Cavite: May 2015.

Location	Assessed Mangrove Areas (2010) in ha.	Mangrove Rehabilitation Plantation (ha.)	Existing Mangrove Areas (ha.)
City of Bacoor	1.08	16.448	17.528
Kawit	29.17	33.528	54.800
Cavite City	27.42	4.200	31.620
Naic		1.000	1.000
Maragondon		1.000	1.000
Ternate		1.291	1.316
Tanza		1.000	1.000
Noveleta	27.28	42.619	83.109
Rosario	3.52	1.000	4.520
Total	88.47	102.086 (Old growth is at 48.413)	195.893

Source: PENRO-Cavite

### **Freshwater Resources**

### Surface Run-off

Freshwater is one of the most valued natural resources. Effective management to ensure its sustainable source is very important and is a primary concern of the government.

There are six major river watersheds in Cavite such as:

- 1. Bacoor River Watershed
- 2. Imus River Watershed
- 3. San Juan River Watershed
- 4. Cañas River Watershed
- 5. Labac River Watershed
- 6. Maragondon River Watershed

These rivers are known to have various tributaries passing through the different municipalities of the province (Table 2.6). These rivers and tributaries generally have a flowing direction from the highlands of Tagaytay City going to Manila Bay with stretches from the City of Bacoor up to Municipality of Ternate.

Water source, especially in the upland areas are abundant due to numerous natural springs, waterfalls and rivers. These have become beneficial among domestic, tourism, and industrial users. These include Balite Spring (Amadeo), Saluysoy Spring (Alfonso), Matang Tubig Spring (Tagaytay City), Malakas Spring (General Aguinaldo), and Ulo Spring (Mendez).

The province is also endowed with waterfalls such as Palsajingin Falls (Indang), Balite Falls (Amadeo), Malibiclibic Falls (Gen. Aguinaldo), Talon-Butas Falls (Gen. Aguinaldo), Saluysoy Falls (Alfonso) and Tala River (Gen. Aguinaldo). Nowadays, these God-given natural wonders are being utilized for recreational and leisure activities like picnics and gatherings.

Table 2.6 Major Rivers of Cavite.

Name of Rivers	Length (km)	Point of Origin	
1. Bacoor River	12.3	Pintong Gubat, Molino passing Tanzang Luma, Salinas and Panapaan	Bacoor Bay
2. Imus River	38.4	North of Tagaytay passing Balite, Sabutan, Biga, Silang, Palapala, City of Dasmariñas, Pasong Bayog, San Agustin and connects to Pasong Bayog passing Salitran, Baluctot, Anabu II & Anabu I going to Tanzang Luma, Palico, Imus down to Salinas and Mabolo, Bacoor toward drainage. Tributaries which started from Bucal going to San Agustin oin/connect Imus River in Pasong Bayog. Tributaries found in Baluctot also drain at Imus River.	
3a. San Juan River	39.0	Maitim, Amadeo passing Maitim, Lalaan I, Silang, Dagatan, Banaybanay, Calubcob, Panungyanan, Javalera, iclatan, Manggahan, Jaime Baker; Buenavista, Pasong Kawayan, Bacao, Gen. Trias; Sta. Rosa, Noveleta and utol, Kawit. Tributaries are at Bucandala and Panamitan.	
3b. Alang-Ilang River		Pasong Camachile River which started from Santiago passing San Gabriel connects with San Juan River; San Jose, City of Dasmariñas converging with San Juan River at Bacao, Gen. Trias	
4. Cañas River	38.9	From Kaybagal, Tagaytay City passing Loma, Amadeo going to Polanan River, San Agustin, Gregorio, Osorio, Lucbanan, Conchu, Inocencio, Trece Martires City; Alingaro, Gen. Trias passing Lubluban River, Santol, Bucal to Julugan, Tanza.  Also, from Tagaytay City going to Salaban, Amadeo; Balagbag, Mahabang Kahoy, Limbon, Alulod, Indang and connects to Paradahan, Tanza  Other tributaries are found in Buna Lejos, Limbon connecting in Alulod.	Manila Bay Julugan, Tanza
5. Labac River	30.5	Two contributory rivers located in the upland area. Starting from Buna Lejos, Indang passing Buna Cerca to Calumpang River going to Palangue, Naic to Kay-alamang River passing San Roque down to Labac River. Patutong Malaki, Tagaytay City passing Habulin River, Barangays II & III, Mendez going to Kayquit, Indang straight to Banaba Cerca going to Malainen Bago, Naic	Manila Bay
6.Maragondon River	35.6	Multi-sources Banaba Lejos passing Pantihan I & II. Tributaries are: Habulin River passing East Tambo to Banaba Lejos; From Palocpoc passing Lumampong and Banaba Lejos; Magay River to Maragondon River; Narvaez River passing Tabora to Maragondon River; Matagbak Buruhan River passing Sinaliw na Munti and Sinaliw na Malaki; Aliang River in Magallanes starting from Kaytitinga joined Narvaez River passing Tabora; Another river (unnamed) from west of Kaytitinga and Aliang River passing Magallanes and joined Tabora to Maragondon River	Manila Bay Ternate

### **Groundwater Resources**

The groundwater is one of the best sources of fresh water for human and animal consumption. By definition, groundwater is the water found underground in the cracks and spaces in soil, sand and rock. It is stored in and moves slowly through geologic formations of soil, sand and rocks called aquifers.

The natural ground elevation or terrain affects the amount of ground water in an area, as well as the water extraction demand depending on industrial and residential demand.

The huge number of deep wells in the province has become a major source of concern about the decreasing amount of groundwater resource in Cavite. The towns of Naic, Tanza and Ternate and the cities of Dasmariñas, Bacoor, Imus and Gen. Trias highly depend on artesian wells. These have become their major source of water. These have caused the salt water intrusion in the aquifers due to over extraction of water. In a study made by the Japan International Cooperation Agency (JICA), the groundwater in Cavite is depleting at a rate of 1-meter water level decrease per year. In the upland areas of the province, groundwater is tapped mainly for domestic use through local water supply systems.

Based on the geological studies in Cavite, most of the ground water is stored in the pyroclastic rock reservoir and little in the volcano and clastic rock. Potable water is not reported in the near shore due to the presence of alluvium deposits which may be brackish and saline and are not safe for drinking and other domestic use. Another source of groundwater is called infiltrated rainfall which serves as the direct source of most near surface aquifers. Inflow from surface water reservoir and irrigation water also contributes to the ground water.

Freely-flowing wells occur in the 30-meter elevation of Southern Tanza and in the lower portions of near shore Naic and Ternate while in the City of Imus, it is at the elevation of about 15 meters.

### Climate

Cavite has two pronounced seasons, dry from November to April and wet on the rest of the year. The following table shows the climatological report of Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA) from its Sangley Point Observation Center in Cavite City.

The hottest temperature is observed in the month of May while it is coldest in January. Heaviest rains are experienced in the month of July and there is almost no rain on the onset of the year in February.

Table 2.7 Monthly Average Temperature and Rainfall, Cavite City: 2015.

Month	Dry Bulb Temperature (°C)	Relative Humidity (%)	Cloudiness	Rainfall (mm)
January	27.0	77	6	52.5
February	26.9	74	5	5.4
March	28.5	<i>7</i> 3	4	6.4
April	30.0	<i>7</i> 3	5	39.3
May	30.9	<i>7</i> 6	5	186.4
June	30.1	<i>7</i> 8	5	105.1
July	28. <i>7</i>	83	7	467.2
August	29.5	80	6	323.0
September	29.3	82	6	382.7
October	28.8	81	7	196.1
November	29.9	74	6	116.4
December	27.8	78	6	57.1
Annual	29.0	77	6	1,937.6

Source: Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA) Sangley Point Observation Center, Cavite City

### **Natural Hazards and Constraints**

There are eight identified hydrometeorological and geological hazards in Cavite. These are:

- a) Flooding (river overflow and inland)
- b) Storm surge
- c) Rainfall induced landslide
- d) Earthquake induced landslide
- e) Ground shaking
- f) Liquefaction
- g) Tsunami
- h) Ground rupture

The entire province is generally susceptible to ground shaking. A total of 125,756 hectares of Cavite's total land area covering around 90% of the barangays are highly susceptible. There are towns in Cavite that are more susceptible to hazards than the others, vulnerable at around 7 of the 8 hazards are the towns of Naic and Tanza. It can also be observed that the town of Magallanes is generally the least susceptible to hazards among all towns in the province (Table 2.8).

Around 298 barangays of Cavite, 35.9 percent of all barangays, are considered highly susceptible to flooding and storm surge, 231 of them are located along the coastal areas. The more than 320,000 inhabitants of those areas are considered living in disaster prone areas.

Table 2.8 Number of Barangays by Type of Hazards, Province of Cavite.

City/Municipality	Flooding	Storm Surge	Rainfall Induced Landslide	Earthquake Induced Landslide	Ground Shaking	Liquefaction	Tsunami	Ground Rupture
1 <sup>st</sup> District								
Cavite City	All	11			All	All	All	
Kawit	All				All	17	16	
Noveleta	All	5			All	9	5	
Rosario	All	8			All	18	10	
2 <sup>nd</sup> District								
City of Bacoor	55				All	32	21	
3 <sup>rd</sup> District								
City of Imus	38				All	2		
4 <sup>th</sup> District								
City of Dasmariñas	11				All			
5 <sup>th</sup> District								
Carmona	1				All			3
Gen. Mariano Alvarez					All			
Silang			6		All			4
6 <sup>th</sup> District								
Trece Martires City					All			
Amadeo					All			
City of Gen. Trias	7				All			
Tanza	26	9			All	10	14	
7 <sup>th</sup> District								
Alfonso					30			
Tagaytay City			11		31			
Gen. E. Aguinaldo					5			
Indang					All			
Magallanes								
Maragondon	3				13			
Mendez			4		All			
Naic	8	3			3	5	7	
Ternate	8	2	1		9	4		

# **Environmental Management in Cavite**

Cavite has the Cavite Environment Code (Provincial Ordinance No. 001-S-2008) that guides the province in formulating and implementing programs with the ultimate goal of safeguarding and conserving the land, mineral, marine, forest and other natural resources of the province. In each aspect of environmental management, Cavite also enacted specific ordinances in support of the Environment Code (Table 2.9).

Table 2.9 Legislations on Environmental Management in Cavite Province (2002-2012).

Ordinance/ Resolution No.	Year	Title
004	2002	An Ordinance prohibiting the smoking and selling of cigarettes in all public and private primary and secondary schools and within a radius of 100 meters from the school compound, premises and providing penalties for violations thereof
001	2003	An Ordinance prohibiting the improper disposal of used oil generated from automotive and industrial lube oil and petroleum sludge, providing penalties for violation thereon and for other purposes
004	2005	An ordinance to curtail illegal activities of professional and illegal squatters in the province of Cavite
007	2005	An Ordinance prescribing safety measures in the refueling at any gasoline satiation within the territorial jurisdiction of the Province of Cavite and providing penalties for violation thereof
005	2006	An Ordinance regulating the operation of all junkshops and other similar business establishments and individuals engaged in buying and selling of metals with monetary value within the province of Cavite and for other purposes

Ordinance/ Resolution No.	Year	Title
004	2007	An Ordinance on the establishment of animal quarantine checkpoints for foot and mouth disease and other zoonotic diseases at strategic entry points in the Province of Cavite and imposing fees thereof Cavite Environment Code
005	2011	An Ordinance adopting the National Code on Sanitation in the Province of Cavite
001	2012	An Ordinance for the implementation of anti- dengue campaign at the barangay level
003	2012	An Ordinance adopting the Manila Bay Oil Spill Contingency Plan
007	2012	An Ordinance prohibiting, regulating, prescribing certain uses of plastics for goods and commodities that end up as residual wastes and promoting the use of eco-bags and other environment-friendly practices as an alternative and providing penalties for violations thereof
026	2012	An Ordinance regulating cigarette smoking within the Provincial Capitol compound of Cavite and providing penalties thereof

Source: State of the Coast of the Province of Cavite

## Solid Waste Management

Management of solid waste is a major environmental concern of the government. The Republic Act 9003 stipulates the law on proper ecological disposal of solid waste, which is doing the least harm to the environment. In support of this, the provincial government has enacted Executive Order No. 29 which requires all cities and municipalities of the province to establish waste reduction and recovery schemes and to convert their open dumpsites to controlled ones. This is complemented by Provincial Ordinance No. 007-2012 that regulates the use of plastics and promotes the use of environmentally friendly packaging and practices.

Pursuant to Republic Act No. 9003 or the Ecological Solid Waste Management Act, the Provincial Solid Waste Management Board was also created.

Solid wastes are collected and disposed to either sanitary landfills or managed open dumpsites. At present, the province owns and uses 147 units of operational garbage trucks, compactors and mini dump trucks for its garbage collection system with capacities of 10/8 sq.m. and 4 sq.m., respectively. The disposal activities also employ around 529 people acting as garbage collectors, street cleaners and office support staff.

Table 2.10 shows the frequency of collection of solid wastes in each town as well as the corresponding budget being spent to sustain the activities in dollars. Imus City has the highest spending among all towns for solid waste management. Some towns did not submit their report.

Table 2.10 Budget for Solid Waste Collection and Disposal, Province of Cavite.

City/Municipality	Frequency of Collection	Annual Budget (Php)
1st District		(FIIP)
Cavite City Kawit Noveleta Rosario	Daily Daily Two trips/truck/day Daily	4,300,000.00 2,350,000.00 50,000,000.00
2 <sup>nd</sup> District	Daily	30,000,000.00
City of Bacoor  3 <sup>rd</sup> <b>District</b>	Daily	2,300,000.00
City of Imus	Barangay- Weekly; Market- Daily	60,000,000.00
4 <sup>th</sup> District	,	
City of Dasmariñas	Daily	
5 <sup>th</sup> District		
Carmona Gen. Mariano Alvarez	Twice a week Thrice a week	8,000,000.00
Silang	Once a week; Market-daily	2,160,000.00
6 <sup>th</sup> District		
Trece Martires City	Daily	1,900,000.00
Amadeo	Thrice a week	93,600.00
City of General Trias Tanza	Twice a week Twice a week	3,500,000.00 11,000,000.00
7 <sup>th</sup> District	TWICE G WEEK	11,000,000.00
Alfonso	Twice a week	1,250,000.00
Tagaytay City	Daily	8,272,737.20
General E. Aguinaldo	Ten trips/week	575,000.00
Indang	Daily excluding Saturdays	2,000,000.00
Magallanes		500,000.00
Maragondon	Daily	800,000.00
Mendez	Five times a week	350,000.00
Naic	Once or twice a week	550,000.00
Ternate	Daily	500,000.00

Source: Cavite Solid Waste Management Plan 2013-2022